6.5" Diamondback® Single Tunnel System

$1,025.00

Product Images

Short Description

- Polyurethane construction is abrasion, impact and weather resistant with high load-bearing capacity
- Diamond-plate tread surface increases traction
- Yellow caution color for high visibility
- Modular interlocking design is lightweight, easy to transport, setup, disassemble, and store
- Built-in hand holds allow for handling with ease and double as attachment points for mounting brackets

- WARNING: Vehicles crossing bridge system must have clearance of greater than bridge height
- WARNING: Hose Bridges are for rubber tired vehicles only (not for equipment with metal tracks)

Description

Diamondback® single tunnel systems provide protection for valuable cable and hose lines while ensuring a safe method of passage for vehicles. High-density, all-weather urethane construction protects from damage by physical pressure and reduces cable and hose maintenance and replacement costs. The single tunnel systems feature a high load-bearing capacity, modular, interlocking design, and diamond-plate tread surface for increased traction with hoses and cables up to 6.5" in diameter.

Specifications

Model No	UHB5060
UPC	812958005453
Brand	Checkers Safety™
Quantity Included	1
Pallet Quantity	10
Load Capacity Per Axle	17100 lbs
Load Capacity Per Tire	8550
Length (Inches)	63
Width (Inches)	17.5
Height (Inches)	8.13
Max Cable Outside Diameter (Inches)	6.5
Number of Channels	1-Channel
Bridge Length (Inches)	60
Bridge Width (Inches)	16
Bridge Height (Inches)	8.13
Tunnel Diameter	7
Tunnel Top Length (Inches)	9.13
Tunnel Base Length (Inches)	18.25
Ramp Top Length (Inches)	25.5
Ramp Base Length (Inches)	20.88
System Weight	92

Prop 65

⚠**WARNING:** This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.